



BEST LED



## WP-MV-MW-MK

3-Power & 3-Color Selectable  
Half Cut Off Wall Pack





Zonal lumen 0-90° >97%

Photocell Dusk to Dawn



3-CCT Switchable  
(3000K-4000K-5000K)

3-Power Switchable  
60W-50W-42W  
or 120W-100W-80W

High Quality UL listed BQ Driver  
Multi Voltage 100-347V





Saving Shipping cost Deign

Extremely compact and safety package design

## Parameter

Model No.			WP-60B(347V)	WP-120B(347V)
Wattage	60W-50W-42W	120W-100W-80W	60W-50W-42W	120W-100W-80W
Luminous Efficacy	130lm/w	130lm/w	130lm/w	130lm/w
Lumens output	5460-7800lm	10400-15600lm	5400-7800lm	10400-15600lm
HID/MF Equivalent	200W	400W	200W	400W
Fixture Weight	3.2Kg(7.0lb)	3.5Kg(7.0lb)	3.2Kg(7.7lb)	3.5Kg(8.6lb)
LEDs Brand	Lumileds (Philips) SMD3030			
CCT	3000K/ 4000K/ 5000K/5700K/ 3CCT			
CRI	70+ or 80+			
Beam Angle	120°			
Input Voltage	100-277Vac or 100-347V 50/60Hz			
Function	Photocell, Motion Sensor, Emergency optional			
Power Factor	>0.95			
IP Rating	IP65 /Wet Location			
Working Temp.	-30° C ~ 50° C (-22° F~122° F)			
Storage Temp.	-40° C ~ 70° C (-40° F~158° F)			
Finish	Dark Bronze			
Housing	Die-casting Aluminum			
Diffuser	PC Cover			
Installation	Mounting			
Lifespan(L70)	>100,000 Hours			
Certification	ETL, cETL, DLC Premium			

## Dimension



## Order Information

Sample: WP-60B2-277-50K-P

	-XXX	-XXX	-X
Product Family	Voltage	CCT	Function
WP-42B = 42W WP-60B = 60W WP-80B = 80W WP-100B = 100W WP-120B = 120W	277 = 100-277Vac 347 = 100-347Vac	30K = 3000K 40K = 5000K 50K = 5000K 57K = 5700K	N = Non-dimming P = Photocell M = Motion Sensor
In Standard	Options (add as Suffix)		
Dark Bronze Finish 130lm/w CRI>70	EM = Emergency Other customized		

## Package Information

ITEM	QTY/CTN	G. W.	CTN SIZE	Means(CBM)
WP-42B	1pcs	3.5kg(7.7lb)	39.5*27*18cm (15.5"x10.6"x7.1")	0.020
WP-60B	1pcs	3.5kg(7.7lb)	39.5*27*18cm (15.5"x10.6"x7.1")	0.020
WP-80B	1pcs	3.8kg(8.4lb)	39.5*27*18cm (15.5"x10.6"x7.1")	0.020
WP-100B	1pcs	4.1kg(9.0lb)	39.5*27*18cm (15.5"x10.6"x7.1")	0.020
WP-120B	1pcs	4.4kg(9.7lb)	39.5*27*18cm (15.5"x10.6"x7.1")	0.020

## Container Loading QTY

ITEM	PCS/Pallet (1.2x1x2m)	20GP (With Pallet)	40HQ (With Pallet)	20GP (No Pallet)	40HQ (No Pallet)
WP-B				1400pcs	3400pcs

